

HOW TO INSTALL & CONFIGURE THE QUANTCYCLES INDICATOR

If you have any questions about these instructions, please email support@quantcycles.com



PAGE 1



HOW TO INSTALL & CONFIGURE THE QUANTCYCLES INDICATOR



Before you begin the indicator installation, please ensure your NinjaTrader is up to date. Please visit <u>http://www.NinjaTrader.com</u> and download the newest version.

GLOSSARY

STEP 1: IMPORT THE INDICATOR

Page 3

STEP 2: CREATE A NEW CHART Page 5

STEP 3: CREATE NON-REPAINT INDICATOR Page 6

STEP 4: CREATE REPAINT INDICATOR Page 8

STEP 5: EXTEND YOUR FORECAST

Page 10

STEP 6: INSTALL KINETICK PLUGIN

Page 11

IN THIS DOCUMENT:

You will learn how to install the QuantCycles Indicator in NinjaTrader, and configure two types of charts: **Repaint** and **Non-Repaint**.

Repaint and **Non-Repaint** provide the same future forecast but differ in it's handling of past cycle parameters.

Non-Repaint displays historical data as originally shown. **Repaint** recalculates all data for a smoother cyclical analysis. Additionally you will configure your charts to extend projections further into the future.

STEP 1: IMPORT THE INDICATOR

Download the QuantCycles Indicator: http://quantcycles.com/download/QuantCycles_NT8.zip

Do not unzip or extract the file.

In NinjaTrader, navigate to TOOLS > IMPORT > NINJASCRIPT ADD-ON.



STEP 1: IMPORT THE INDICATOR

You may receive a warning about 3rd Party Add-Ons. Select the "**Don't show this message again**" checkbox.





If you are updating a previous version of QuantCycles, you may receive an error similar to this. Click "YES".



6 Click "OK". CLOSE & RESTART NinjaTrader



The QuantCycles indicator is now installed and you are ready to proceed creating a chart with the new indicator. The process is explained in the following pages of this document.

STEP 2: CREATE A NEW CHART

Make a new chart first.

1 Select NE	W > CHART			1			
NINJATRADER	🖾 New 🔀 Tools	📮 Workspace	s 🕈	Connections	🔿 Help		
Instrument - Actic	Basic Entry	Quantity	Limit	Stop	State	Filled	Avg
	FX Pro						
	Option Chain						
	Order licket						
	SuperDOM (Dynamic)	-					
	Alerts Log						
	Chart						
	Depth Chart						
	FX Board						
	FX Correlation						
	Hot List Analyzer						
	Level II						
	Market Analyzer						
	Market Watch						
	News						

- **2** Under "**INSTRUMENT**", enter the symbol that corresponds to your subscription.
- Our indicator requires a lot of data to compute the forecast. Change "LOAD DATA BASED ON" to "Bars". Change "BARS TO LOAD" to 10,000.
- 4 You can also configure the "CHART STYLE" if you wish (optional)





STEP 3: CREATE NON-REPAINT INDICATOR

You will need to use the same email address you used to purchase your subscription on QuantCycles.com.



- 2 Under "AVAILABLE" Double click the QuantCycles folder.
- **3** Under "**QUANTCYCLES**" Double click QuantCycles version 4.1.2.
- **4** Down in **CONFIGURED** Select QuantCycles version 4.1.2.
- **5** On the right side under **"PROPERTIES**" Enter your e-mail address.

QuantCycles ● 00. LicenseParameters QuantCycles version 4.1.2 00. LicenseParameters QuantCyclesSydeSine 01. Email Address QuantCyclesTrendChop ● 02. Signal Settings ADL ● 02. Signal Settings ADX ● 02. Signal Projections ADX ● 02. Display Signal Projections APZ ● 02. Display Signal Projections Aroon Aroon oscillator ATR ● 04. Deviation Band Bar timer ● 05. Alert Deviation Band Configured ● 08. Enable Trend Reversion Trade QuantCycles version 4.1.2 ● 01. Enable Repaint ● 03. Visuals ● 01. Enable Repaint ● 01. Enable Repaint ● 01. Enable Repaint ● 01. Enable Repaint ● 01. Enable Repaint	Available i	Properties	<u> </u>
QuantCycles version 4.1.2 QuantCycles Syne QuantCycles TrendChop 01. Email Address Your.email@quantcycles.com ADL 02. Signal Settings 00. AutoLoad Settings 0 ADX 00. AutoLoad Settings 0 ADXR 02. Display Signal Projections 0 AZ 03. 1st Deviation Band 2 Aroon oscillator 04. 2nd Deviation Band 3 ATR 05. Alert Deviation Band 0 Bar timer 06. Detrend Entry Offset 20 OuantCycles version 4.1.2 07. # Signals Per Cycle 1 QuantCycles version 4.1.2 01. Enable Repaint 0 OuantCycles version 4.1.2 01. Enable Repaint 0 Ouant Cycl	CuantCycles	✓ 00. LicenseParameters	
ADL 00. AutoLoad Settings Image: Constraint of the property of th	QuantCycles version 4.1.2 QuantCyclesCycleSine QuantCyclesTrendChon	01. Email Address ▼ 02. Signal Settings	Your.email@quantcycles.com
ADXR APZ Aroon oscillator Aroon oscillator Arr Bar timer Configured QuantCycles version 4.1.2 QuantCycles version 4.1.2 QuantCycles version 4.1.2 ADXR APZ Aroon oscillator Arr Bar timer QuantCycles version 4.1.2 ADXR Arr Bar timer ADXR Arr Bar timer ATR Bar timer ATR ATR ATR ATR ATR Bar timer ATR ATR ATR Bar timer ATR ATR ATR Bar timer ATR ATR ATR ATR ATR ATR ATR ATR	ADL ADX	00. AutoLoad Settings 01. Enable Signal	र
Aroon 03. 1st Deviation Band 2 Aroon oscillator 04. 2nd Deviation Band 3 ATR 05. Alert Deviation Band 0 Bartimer 06. Detrend Entry Offset 20 Configured 07. # Signals Per Cycle 1 QuantCycles version 4.1.2 08a. Enable Trend Reversion Trade V 03. Visuals 01. Enable Repaint 0 01. Enable Repaint 01. Enable Repaint Arial Black, 14px 01b. Forecast Text Font Arial Black, 14px Visite 02a. Up Slope Color Utime V	ADXR APZ	02. Display Signal Projections	
ATR 0.5. Alert Deviation Band 0 Bar timer 06. Detrend Entry Offset 20 Configured 07. # Signals Per Cycle 1 QuantCycles version 4.1.2 08b. Enable Trend Reversion Trade Image: Configured OusantCycles version 4.1.2 08b. Enable Trend Breakout Trade Image: Configured OusantCycles version 4.1.2 08b. Enable Trend Breakout Trade Image: Configured OusantCycles version 4.1.2 08b. Enable Trend Breakout Trade Image: Configured OusantCycles version 4.1.2 08b. Enable Trend Breakout Trade Image: Configured OusantCycles version 4.1.2 08b. Enable Trend Breakout Trade Image: Configured OusantCycles version 4.1.2 01. Enable Repaint Image: Configured Image: Configured Image: Configured Image: Configured Image: Configured	Aroon Aroon oscillator	03. 1st Deviation Band 04. 2nd Deviation Band	3
Configured 07. # Signals Per Cycle 1 QuantCycles version 4.1.2 08a. Enable Trend Reversion Trade V 08b. Enable Trend Breakout Trade V 01. Enable Repaint 01a. Forecast Text Font Arial Black, 14px 01b. Forecast Cycle Turn Point Color White V 02a. Up Slope Color Lime V	ATR Bar timer	05. Alert Deviation Band 06. Detrend Entry Offset	0
QuantCycles version 4.1.2 06a. Enable Trend Breakout Trade 08b. Enable Trend Breakout Trade 08b. Enable Repaint 01a. Forecast Text Font 01b. Forecast Text Font 01b. Forecast Cycle Turn Point Color 02a. Up Slope Color	Configured	07. # Signals Per Cycle	
• 03. Visuals 01. Enable Repaint • 01a. Forecast Text Font 01b. Forecast Cycle Turn Point Color 02a. Up Slope Color	QuantCycles version 4.1.2	08b. Enable Trend Breakout Trade	
O1a. Forecast Text Font Arial Black, 14px O1b. Forecast Cycle Turn Point Color O2a. Up Slope Color Lime		 03. Visuals 01. Enable Repaint 	
01b. Forecast Cycle Turn Point Color White V 02a. Up Slope Color Lime V		 01a. Forecast Text Font 	Arial Black, 14px
		01b. Forecast Cycle Turn Point Color 02a. Up Slope Color	Lime Ville
add remove up down	add remove up down	17h Down Slone Color	Red V

STEP 3: CREATE NON-REPAINT INDICATOR

The newest version of the QuantCycles indicator implements a new feature to automatically configure Signal Settings based on each symbol. However, if you wish, you may configure your settings manually.

AUTOMATIC SETTING INSTRUCTIONS

6 Simply click the "AUTOLOAD" checkbox. The rest of the Signal Settings will be ignored.

MANUAL SETTING INSTRUCTIONS

- 7 Edit "DETREND ENTRY OFFSET" to match the timing of your trading.
- 8 We recommend saving your settings as a template. Click "TEMPLATE" and "SAVE".
- 8A Name your template "NON-REPAINT" and click "SAVE".
- 9 Finally click "APPLY" and "OK".



Below are the "DETREND ENTRY OFFSET" settings to enter for your time used.

MINUTES:	OFFSET PARAMETER INPUT
5	24
15	21
20	18

STEP 4: CREATE REPAINT INDICATOR

1 Right click on your new chart and select "INDICATORS".



- 2 Under "AVAILABLE" Double click the QuantCycles folder.
- **3** Under "**QUANTCYCLES**" Double click QuantCycles version 4.1.2.
- **4** Down in **CONFIGURED**" Select the 2nd QuantCycles version 4.1.2.
- **5** On the right side under **"PROPERTIES**" Enter your e-mail address.

Indicators		? 🔀
Available i	Properties	¢.
C QuantCycles	▼ 00. LicenseParameters	
QuantCycles version 4.1.2	01. Email Address	Your.email@quantcycles.com
QuantCyclesCycleSine	✓ 02. Signal Settings	
ADL	00. AutoLoad Settings	
ADX	01. Enable Signal	
ADXR	02. Display Signal Projections	
APZ Aroon	03. 1st Deviation Band	2
Aroon oscillator	04. 2nd Deviation Band	3
ATR	05. Alert Deviation Band	0
Bartimer	06. Detrend Entry Offset	20
	07. # Signals Per Cycle	1
Contigured	08a. Enable Trend Reversion Trade	
QuantCycles version 4.1.2	08b. Enable Trend Breakout Trade	
	✓ 03. Visuals	
	01. Enable Repaint	
	 01a. Forecast Text Font 	Arial Black, 14px
	01b. Forecast Cycle Turn Point Color	White 🗸
	02a. Up Slope Color	Lime 🗸
	02h Down Slone Color	Rad V
add remove up dou	in	template

STEP 4: CREATE REPAINT INDICATOR

AUTOMATIC SETTING INSTRUCTIONS

6 Simply click the "AUTOLOAD" checkbox. The rest of the Signal Settings will be ignored.

MANUAL SETTING INSTRUCTIONS

- **7** Edit "**DETREND ENTRY OFFSET**" to match the timing of your trading.
- **We recommend saving your settings as a template.** Click **"TEMPLATE**" and **"SAVE**".
- 8 Name your template "REPAINT" and click "SAVE".
- 9 Finally click "APPLY" and "OK"

Available i Image: Constraint of the second seco
CuantCycles 00. LicenseParameters 6 CuantCycles version 4.1.2 01. Email Address 11. Email Address QuantCyclesCycleSine 01. Email Address 11. Email Address QuantCyclesTrendChop 02. Signal Settings 0 ADX 01. Enable Signal 0 ADX 01. Enable Signal 0 ADX 02. Display Signal Projections 0 APZ 03. 1st Deviation Band 2 Aroon oscillator 04. 2nd Deviation Band 3 ATR 05. Alert Deviation Band 0 Bar timer 06. Detrend Entry Offset 20
QuantCycles version 4.1.2 01. Email Address Itm.rooks@quantcycles.com QuantCyclesCycleSine 02. Signal Settings 00. AutoLoad Settings ADL 00. AutoLoad Settings Im.rooks@quantcycles.com ADX 00. AutoLoad Settings Im.rooks@quantcycles.com ADX 00. AutoLoad Settings Im.rooks@quantcycles.com ADX 01. Enable Signal Im.rooks@quantcycles.com 02. Display Signal Projections Im.rooks@quantcycles.com Im.rooks@quantcycles.com 03. 1st Deviation Band 0 3 Im.rooks@quantcycles.com 04. 2nd Deviation Band 0 0 Im.rooks@quantcycles.com 05. Alert Deviation Band 0 0 0 06.
QuantCycleSCycleSine QuantCycleSTrendChop ADL ADX ADX ADXR APZ Aroon oscillator ATR Bartimer Occomment
ADL 00. AutoLoad Settings Image: Constraint of the set of th
ADX ADX ADXR APZ Aroon oscillator ATR Bar timer ADX Aroon oscillator ATR Bar timer ADX Aroon oscillator ATR Bar timer ADX Aroon oscillator ATR Bar timer ADX ADX Aroon oscillator ATR Bar timer ADX ADX ATR Bar timer ADX ADX ATR Bar timer ADX ADX ADX ADX ATR Bar timer ADX ADX ADX ADX ADX ADX ATR Bar timer ADX ADX ADX ADX ADX ADX ADX ADX
ADXR 02. Display Signal Projections Image: Constraint of the system of
APZ 03. 1st Deviation Band 2 Aroon oscillator 04. 2nd Deviation Band 3 ATR 05. Alert Deviation Band 0 Bar timer 06. Detrend Entry Offset 20
Avoin Scillator ATR Bartimer Deformed Arcon Scillator ATR Bartimer Deformed
ATR 05. Alert Deviation Band 0 Bar timer 06. Detrend Entry Offset 20 07. # Signals Per Cycle 1
Bar timer 06. Detrend Entry Offset 20 0. down d 07. # Signals Per Cycle 1
07.#Signals Per Cycle 1
Configured 08a. Enable Trend Reversion Trade
QuantCycles version 4.1.2 08b. Enable Trend Breakout Trade
Save
Repaint
ast Text Font Arial Black, 14px
st Cycle Turn Point Color White
he Color
Ring Color Bad
template et al.
OK Cancel Apply
Repaint
Save Save as Default Cancel

Your chart should now open and populated with the two indicators at the bottom

STEP 5: EXTEND YOUR FORECAST



1 Right click on your completed chart and select "PROPERTIES".

2 Change "RIGHT SIDE MARGIN" to 400.
3 Click "APPLY" and "OK".



STEP 6: INSTALL KINETICK PLUGIN

KINETICK is a partner company to **NinjaTrader**. **KINETICK** provides specialized symbol data to **NinjaTrader**. In order to track your specific symbol, you will need to create an account with **KINETICK** and subscribe to their service.



2 Proceed to <u>https://kinetick.com/Subscribe</u> and complete your order.



STEP 6: INSTALL KINETICK PLUGIN

Connecting To Your Kinetick Data Connection. Kinetick is the preferred streaming real time and historical market data service for NinjaTrader. Kinetick offers the following two connection options: Free **End of Day** service for stocks, **futures and forex** Real time service.

3 NinjaTrader must be installed.

4 Start NinjaTrader.

6

In NinjaTrader, navigate to "CONNECTIONS" > "CONFIGURE".



Under "CONFIGURED"

Click "MY KINETICK".

In "AVAILABLE", scroll down and double click "KINETICK".

Available
Interactive Brokers IQFeed Kinetick NinjaTrader NinjaTrader Continuum NinjaTrader FXCM Rithmic for NinjaTrader Brokerage TD AMERITRADE Configured Kinetick – End Of Day (Free) My Kinetick Playback Connection Simulated Data Feed

STEP 6: INSTALL KINETICK PLUGIN CONTINUED

8 Under PROPERTIES, configure:

Connection name: Choose a unique name to identify your connection.

Connect on start up: Enable this checkbox if you would like NinjaTrader to automatically establish a connection on start up

User name: Enter your Kinetick account user name

Password: Enter your Kinetick account password

Ask password on connect: Enable to require manually entering the password when connecting (Password field above will be disabled)

Use back adjusted data: Enable if you will be working with continuous futures contracts and want the historical data to be back adjusted

Globex Non-Pro Fees: Enable if you are participating in the Globex Non-Pro Fees



Select "APPLY" and "OKAY".